The following listing of claims replaces all prior versions and listings of

claims in the application:

Listing of Claims:

1. (original) A method of enhancing the ability of a genotype 2b NS5B sequence to

function in a replicon comprising the step of altering either, or both

(a) said genotype 2b NS5B sequence to encode one or more adaptive mutations

selected from the group consisting of:

serine corresponding to position 24 of SEQ ID NO: 1;

isoleucine corresponding to position 31 of SEQ ID NO: 1;

leucine corresponding to position 392 of SEQ ID NO: 1; or

(b) a genotype 1b NS4B sequence to encode an adaptive mutation of alanine

corresponding to position 218 of SEQ ID NO: 38.

2. (original) The method of claim 1, wherein altering said genotype 2b NS5B sequence

comprises at least isoleucine corresponding to position 31 of SEQ ID NO: 1, or at least serine

corresponding to position 24 of SEQ ID NO: 1 in combination with leucine corresponding to

position 392 of SEQ ID NO: 1.

3. (original) The method of claim 2, wherein said genotype 2b NS5B sequence is obtained

from a clinical isolate.

4. (original) A method of producing a chimeric replicon comprising the step of replacing

substantially all of a NS5B sequence of a HCV replicon comprising a NS3-5B genotype 1b

sequence of encoding SEQ ID NO: 3, with a genotype 2b NS5B encoding nucleic acid

sequence.

5. (original) The method of claim 4, further comprising the step of enhancing the ability of

said genotype 2b NS5B according to the method of claim 1, wherein said enhancing

can be done prior to, or after, said replacing step.

6. (original) The method of claim 5, wherein said genotype 2b NS5B sequence is obtained

from a clinical isolate.

7. (original) A chimeric replicon comprising:

a) a NS3-5A sequence of a genotype 1b replicon or a modified NS3-5A sequence of

genotype 1b replicon wherein NS4B contains a V218A modification; and

b) substantially all of a genotype 2b NS5B encoding nucleic acid sequence.

8. (original) The chimeric replicon of claim 7, further comprising a reporter or selection

sequence.

9. (original) The chimeric replicon of claim 7, wherein said genotype 2b NS5B sequence

encodes at least one of the following amino acids in the indicated position:

serine corresponding to position 24 of SEQ ID NO: 1;

isoleucine corresponding to position 31 of SEQ ID NO: 1;

leucine corresponding to position 392 of SEQ ID NO: 1.

10. (original) The chimeric replicon of claim 9, wherein said genotype 2b NS5B sequence

encodes at least isoleucine corresponding to position 31 of SEQ ID NO: 1, or at least serine

corresponding to position 31 of SEQ ID NO: 1 in combination with leucine corresponding to

position 31 of SEQ ID NO: 1.

11. (original) The chimeric replicon of claim 8, wherein said genotype 2b NS5B sequence

encodes NS5B provided by SEQ ID NO: 1.

12. (original) The chimeric replicon of claim 9, wherein said NS3-5A sequence consists of

SEQ ID NO: 4 and NS5B sequence consists of SEQ ID NO: 2.

13. (original) The chimeric replicon of claim 12, wherein nucleotide 2711 of SEQ ID NO: 4

is C.

14. (previously amended) A recombinant cell comprising a replicon made the method of

claim 1, wherein said replicon is expressed in said cell.

15. (original) A method of measuring the ability of a compound to inhibit replicon activity

comprising the steps of:

a) providing said compound to the recombinant cell of claim 12, and

b) measuring the ability of said compound to affect replicon activity.

16. (previously presented) A recombinant cell comprising a replicon made by the method

of claim 2, wherein said replicon is expressed in said cell.

17. (previously presented) A recombinant cell comprising a replicon made by the method

of claim 4, wherein said replicon is expressed in said cell.

18. (previously presented) A recombinant cell comprising the replicon of claim 7, wherein

said replicon is expressed in said cell.

19. (previously presented) A recombinant cell comprising the replicon of claim 8, wherein

said replicon is expressed in said cell.

20. (previously presented) A recombinant cell comprising the replicon of claim 9, wherein

said replicon is expressed in said cell.